

# HCR™ Gold Amplifier Safety Data Sheet

#### **SECTION 1: IDENTIFICATION**

#### 1.1 Product identifier

Product Name HCR™ Gold Amplifier

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses For research use only. Not for diagnostic use.

1.3 Details of the supplier of the data sheet

Company Molecular Instruments, Inc.

5015 Eagle Rock Blvd Suite 301

Los Angeles, CA 90041

Telephone +1 626 210 2600

#### **SECTION 2. HAZARDS IDENTIFICATION**

This safety data sheet complies with the requirements of Regulation EC 1907/2006.

#### 2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

#### 2.2 Label elements including precautionary statements

Not a hazardous substance or mixture.

#### 2.3 Other hazards

None.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Chemical Characterization

Synthetic oligonucleotides.

#### 3.2 Dangerous Components

None.

#### **SECTION 4. FIRST AID MEASURES**

#### 4.1 Description of first aid measures

General information Move to fresh air. If you feel unwell, seek

medical advice. Show this safety data sheet to

the doctor in attendance.

Inhalation Move to fresh air. Consult a physician if

necessary. If not breathing, give artificial

respiration.



# HCR™ Gold Amplifier Safety Data Sheet

Ingestion Rinse mouth. Consult a physician. Never give

anything by mouth to an unconscious person.

Do not induce vomiting without medical

advice.

Skin Contact Rinse immediately with plenty of water. Get

medical attention if symptoms occur.

Eye Contact Rinse immediately with plenty of water for at

least 15 minutes, lifting lower and upper eyelids. Remove contact lenses if present.

Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

May cause slight skin irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed.

No information available.

#### SECTION 5. FIRE-FIGHTING MEASURES

**5.1 Extinguishing Media** Alcohol-resistant foam, water spray, carbon

dioxide (CO<sub>2</sub>), or dry chemical.

**5.2 Special hazards**No data available.

**5.3 Advice for fire fighters**Wear self-contained breathing apparatus and

protective suit.

**5.4 Further information**No data available.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Always use personal protection equipment. Avoid exposure to vapors, mist, or gas. Ensure adequate ventilation. Avoid contact with skin, eyes, and clothing.

#### **6.2 Environmental Precautions**

Should not be released into the environment. Prevent product from entering drains.

#### 6.3 Methods and material for containment and clean up

Soak up with inert absorbent material. Place used material into appropriate containers for disposal. Clean contaminated area thoroughly.

#### 6.4 Reference to other sections

Wear personal protective equipment as described in Section 8 of the Safety Data Sheet.

#### SECTION 7. HANDLING AND STORAGE

Last Updated: 2025-01-06 Page 2 of 6

# Molecular Instruments

# HCR™ Gold Amplifier Safety Data Sheet

#### 7.1 Precautions for safe handling

Provide good ventilation. Always wear recommended personal protective equipment. Avoid spilling. Avoid contact with skin, eyes, and clothing.

#### 7.2 Conditions for safe storage, including any incompatibles

Keep container tightly closed in a dry, cool, and well-ventilated place. Keep away from combustible material, strong acids, and strong bases.

#### 7.3 Specific end use(s)

For research use only. Not for diagnostic use.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

**Exposure Limits** 

Contains no substances with occupational exposure limit values.

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas.

#### 8.2 Exposure controls

Personal Protective Equipment

**Respiratory Protection** In case of insufficient ventilation, wear suitable

respiratory equipment.

Hand Protection Wear impervious chemical-resistant gloves. Eye Protection

Wear safety glasses with side shields or

goggles.

Skin and Body Protection Lightweight protective clothing.

Hygiene Measures Handle in accordance with good industrial

hygiene and safety practice.

#### Environmental Exposure Controls

Should not be released into the environment. Prevent product from entering drains.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Appearance: Liquid

#### 9.2 Other information

Not available.

#### SECTION 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No information available.

Last Updated: 2025-01-06 Page 3 of 6



# HCR<sup>™</sup> Gold Amplifier Safety Data Sheet

#### 10.2 Stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

None under normal use conditions.

#### 10.4 Conditions to avoid

Direct sunlight. Extremely high temperatures.

#### 10.5 Incompatible materials

No dangerous reactions under conditions of normal use.

#### 10.6 Hazardous decomposition products

None under conditions of normal use.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

Toxicological information No data available.

#### Principle Routes of exposure

Potential Health Effects

Inhalation May cause irritation of respiratory tract.

Ingestion May be harmful if swallowed.

Skin contact May cause skin irritation in susceptible persons. Eye contact May cause eye irritation in susceptible persons.

Carcinogenetic effects

Mutagenic effects

Reproductive toxicity

Sensitization

Target organ effects

Other adverse effect

No information available.

#### SECTION 12. ECOLOGICAL INFORMATION

#### 12.1 Ecotoxicity

No data available.

#### 12.2 Persistence and degradability

Last Updated: 2025-01-06 Page 4 of 6

HCR<sup>™</sup> Gold Amplifier
Safety Data Sheet

No data available.

#### 12.3 Bioaccumulation potential

No data available on bioaccumulation.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Other adverse effects

No information available.

#### SECTION 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Avoid release into the environment. Disposal of contents and containers must comply with all requirements of local regulations.

#### **SECTION 14. TRANSPORT INFORMATION**

#### IATA/ADR/DOT-US/IMDG

Not dangerous goods. Not regulated by transport regulations.

**14.1 UN number** Not applicable

**14.2 UN proper shipping name** Not applicable

**14.3 Transport hazard class(es)**Not applicable

**14.4 Packaging group**Not applicable

**14.5 Environmental hazards**Not applicable

#### **SECTION 15. REGULATORY INFORMATION**

# **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**No data available.

#### 15.2 Chemical safety assessment

No data available.

#### **SECTION 16. OTHER INFORMATION**

#### Disclaimer

The above information is believed to be correct but shall not be taken as being all inclusive and is to be used only as a guide. All materials and mixtures may present unknown hazards and should be used with caution. Since Molecular Instruments, Inc. cannot control the actual methods, volumes, or conditions of use, Molecular Instruments, Inc. shall not be held liable for any damages or losses resulting from the

Last Updated: 2025-01-06 Page 5 of 6

# Molecular Instruments

### HCR™ Gold Amplifier Safety Data Sheet

handling or from contact with the product as described herein. The information in this safety data sheet (SDS) does not constitute a warranty, expressed or implied, including any implied warranty of merchantability or fitness for any particular purpose. See www.molecularinstruments.com/terms for our terms of sale.

Last Updated: 2025-01-06 Page 6 of 6